


Transmittable nominal torque 300 Nm




Before using the coupling system, carefully read the document entitled GENERAL INSTRUCTIONS FOR COUPLING SYSTEM USE.


AAA SAE 5 A - 2 M10 holes




AAB SAE 4 A - 2 M10 holes




ACA SAE 4 B - 2 M14 holes




ACB SAE 4 B - 4 M14 holes




ADA SAE 5 B - 2 M14 holes




ADB SAE 5 B - 4 M14 holes




ADC SAE 5 B - 2 M12 holes




AEA SAE 6 B - 2 M14 holes




ASA SAE 4 GR. 2 Bosch




ASB SAE 4 GR. 2




ASG SAE 4 GR. 3




ATB SAE 5 GR. 2 Bosch




ATC SAE 5 GR. 3




ATM SAE 5 GR. 2




AUA SAE 6 GR. 2



001 6" 1/2 flange




Flange hubs 001




Code	Pump shaft	Teeth	L mm	Weight kg	i kgm ²	Screw	Torque Nm
ABG	Z.9 16/32	33	30	0,6	0,0004	M8	25
ACA	Z.10 16/32	33	30	0,6	0,0004	M8	25
ADE	Z.11 16/32	33	37	0,7	0,0004	M8	25
AFB	Z.13 16/32	33	37	0,7	0,0004	M8	25
AHC	Z.15 16/32	33	37	0,6	0,0004	M8	25
ALD	W25x1,25x18	33	37	0,7	0,0004	M8	25
AOA	GR.2	33	37	0,6	0,0004		
AOG	GR.3	33	37	0,6	0,0004		
AOT	GR.2 Bosch	33	37	0,6	0,0004		

002 7" 1/2 flange



Flange hubs 002



Code	Pump shaft	Teeth	L mm	Weight kg	i kgm ²	Screw	Torque Nm
ABG	Z.9 16/32	33	30	0,6	0,0004	M8	25
ACA	Z.10 16/32	33	30	0,6	0,0004	M8	25
ADE	Z.11 16/32	33	37	0,7	0,0004	M8	25
AFB	Z.13 16/32	33	37	0,7	0,0004	M8	25
AHC	Z.15 16/32	33	37	0,6	0,0004	M8	25
ALD	W25x1,25x18	33	37	0,7	0,0004	M8	25
AOA	GR. 2	33	37	0,6	0,0004		
AOG	GR. 3	33	37	0,6	0,0004		
AOT	GR. 2 Bosch	33	37	0,6	0,0004		

1 2 3			4 5 6			7 8 9		
KVS 300 Nm								
1 2 3			Bell housings					
			AAA SAE 5 A - 2 M10 holes	ADA SAE 5 B - 2 M14 holes	ASA SAE 4 GR. 2 Bosch	ATC SAE 5 GR. 3		
			AAB SAE 4 A - 2 M10 holes	ADB SAE 5 B - 4 M14 holes	ASB SAE 4 GR. 2	ATM SAE 5 GR. 2		
			ACA SAE 4 B - 2 M14 holes	ADC SAE 5 B - 2 M12 holes	ASG SAE 4 GR. 3	AUA SAE 6 GR. 2		
			ACB SAE 4 B - 4 M14 holes	AEA SAE 6 B - 2 M14 holes	ATB SAE 5 GR. 2 Bosch			
4 5 6			Flanges					
			001 6" 1/2	002 7" 1/2				
7 8 9			Hubs					
			ABG Z.9 16/32	AFB Z.13 16/32	AOA GR. 2			
			ACA Z.10 16/32	AHC Z.15 16/32	AOG GR. 3			
			ADE Z.11 16/32	ALD W25x1.25x18	AOT GR. 2 Bosch			