



Transmittable nominal torque 1350 Nm




Before using the coupling system, carefully read the document entitled GENERAL INSTRUCTIONS FOR COUPLING SYSTEM USE.


AGF SAE 3 C - 4 M14 holes




AGL SAE 3 C - 2 M16 holes




AMG SAE 3 D - 4 M18 holes




AML SAE 3 E - 4 M18 holes




AMO SAE 3 D - 2 M20 holes




APA SAE 2 D - 4 M18 holes




APC SAE 2 D - 2 M18 holes




APD SAE 2 E - 4 M18 holes



126 10' flange




Flange hubs 126




Code	Pump shaft	Teeth	L mm	Weight kg	j kgm ²	Screw	Torque Nm
IAI	Z.13 8/16	8	50	2,4	0,0037	M12	145
IAH	Z.14 12/24	8	50	2,4	0,0037	M12	145
IAL	W30x2x14	8	50	2,4	0,0037	M12	145
IAB	W35x2x16	8	50	2,4	0,0037	M12	145
IAC	Z.17 12/24	8	50	2,4	0,0037	M12	145
IAG	W40x2x18	8	50	2,4	0,0037	M12	145
IAE	Z.21 16/32	8	50	2,4	0,0037	M12	145
IAJ	W45x2x21	8	50	2,4	0,0037	M12	145
IAA	Z.23 16/32	8	50	2,4	0,0037	M12	145
IAF	Z.27 16/32	8	50	2,4	0,0037	M12	145

128 11" 1/2 flange



Flange hubs 128



Code	Pump shaft	Teeth	L mm	Weight kg	j kgm ²	Screw	Torque Nm
IAI	Z.13 8/16	8	50	2,4	0,0037	M12	145
IAH	Z.14 12/24	8	50	2,4	0,0037	M12	145
IAL	W30x2x14	8	50	2,4	0,0037	M12	145
IAB	W35x2x16	8	50	2,4	0,0037	M12	145
IAC	Z.17 12/24	8	50	2,4	0,0037	M12	145
IAG	W40x2x18	8	50	2,4	0,0037	M12	145
IAE	Z.21 16/32	8	50	2,4	0,0037	M12	145
IAJ	W45x2x21	8	50	2,4	0,0037	M12	145
IAA	Z.23 16/32	8	50	2,4	0,0037	M12	145
IAF	Z.27 16/32	8	50	2,4	0,0037	M12	145

1 2 3			4 5 6			7 8 9		
KDR 1350 Nm								

1 2 3			Bell housings					
			AGF SAE 3 C - 4 M14 holes	AMG SAE 3 D - 4 M18 holes		AMO SAE 3 D - 2 M20 holes		APC SAE 2 D - 2 M18 holes
			AGL SAE 3 C - 2 M16 holes	AML SAE 3 E - 4 M18 holes		APA SAE 2 D - 4 M18 holes		APD SAE 2 E - 4 M18 holes
4 5 6			Flanges					
			126 10"	128 11" 1/2				
7 8 9			Hubs					
			IAI Z.13 8/16	IAB W35x2x16		IAE Z.21 16/32		IAF Z.27 16/32
			IAH Z.14 12/24	IAC Z.17 12/24		IAJ W45x2x21		
			IAL W30x2x14	IAG W40x2x18		IAA Z.23 16/32		